



PERLA



Recycled Content

Light Reflectance

Intelligibility


PERLA	BOARD	TEGULAR	MICROLOOK BE
	 Prelude XL ² /TLX 24 mm Prelude Sixty ²	 Prelude XL ² /TLX 24 mm Prelude Sixty ²	 Prelude XL ² /TL 15 mm Silhouette XL ² 15 mm Interlude XL ² 15 mm
600 x 600 x 17 mm	2801 M	2803 M	2804 M
625 x 625 x 17 mm	2801 D	2803 D	2804 D
600 x 1200 x 17 mm	2802 M		
625 x 1250 x 17 mm	2802 D		



EN ISO 354 & EN ISO 11654

α_w	NRC	125	250	500	1000	2000	4000	Hz
0.65(H)	0.70	0.35	0.40	0.60	0.85	0.95	1.00	α_p

Sound Absorption Class = C



EN ISO 10848-2 & EN ISO 717-1

Dnfw
36 dB



EN ISO 140-3 & EN ISO 717-1

Rw
18 dB



EN 13501-1

EEA Euroclass A2-s1, d0

RUS G1, V1, D1, T1 to FZ 123



EN 12667 & ISO 8301

$\lambda = 0.052 \text{ W/m K}$



95 % RH



15 YEAR guarantee



$\approx 4.7 \text{ kg/m}^2$

- Please contact our Internal Technical Sales Group for further details.
- Pour de plus amples informations merci de contacter notre Service Information Plafonds.
- Weitere Informationen erhalten Sie von unserem Kundenservice. Änderungen vorbehalten.
- Voor meer informatie kunt u contact opnemen met Market Service Center.
- Per ulteriori dettagli consultare il nostro Ufficio Commerciale.
- Para más detalles, por favor, contacte con el Servicio de Información de Techos.
- W razie dodatkowych pytań prosimy kontaktować się z biurem Armstrong w Warszawie.
- За более подробной информацией обращайтесь пожалуйста в представительство компании Армстронг.

www.armstrong.eu

Armstrong®